

PALMA

Design by Antoni Arola.

Reference

3700.

Application

Wall Lamps

Installation type

Surface

Description

Vibia presents an individual wall lamp. Its timeless sphere of light evolves towards the organic. Slightly flattened like the shape of the Earth, it gives off a warm and adjustable light.

Diffuser

Blow-glass diffuser

Materials

Profile: Aluminum

Diffuser: Blown-glass

Finish




3700-18 Graphite (ADAPTA RF 9913 WX)



3700-93 White (RAL 9016)

Sketch



Electrical characteristics

2 x LED 4,6W 500mA

Total 9.2 W



A+

VIBIA



Light source: 2700K CRI >90

Fixture: 685.86 lm 74.55 lm/W

Driver included: CC - Constant Current 500 mA 220-240V 50/60Hz

Electronic dimming 1-10V PUSH

Physical characteristics

1 Box / 0.00 x 0.00 x 0.00 m. / Vol. 0.0400 m³ /

Gross weight 1.1 kg. / Net weight 2.1 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data

Efficiency : 1

Coordinate system : CG

Total flux : 576.81 lm

Maximum value : 107.81 cd/klm

Light position : C=270.00 G=5.00

Symmetry on the planes : Symmetrical planes

270-90

Isolux : Isolux (Floor)

Light position :

X=0.00ft Y=0.00ft Z=8.20ft

Certificates

